



AVISCERA BIOSCIENCE

Anti FABP4 (Rat) Monoclonal IgG

Preparation

This antibody was produced from a hybridoma resulting from the fusion of a mouse myeloma with B cells obtained from a mouse immunized with purified, E. coli-derived, recombinant Rat FABP4. That antibody was purified by Protein G affinity.

Formulation

100 µg of Mouse anti FABP4 (Rat) Monoclonal Antibody in 100 µl of PBS lyophilized form.

Reconstitution and Storage

Add 100 µl deionized water to the vial to prepare a antibody stocking solution (100µg/ml). Stores it at 4°C for a few days. For long term storage, the reconstituted antibody can also be aliquotted (by 10 µL per vial) and stored frozen at -20° C to -70° C **in a manual defrost freezer** for 12 months without detectable loss of activity. **Avoid repeated freeze-thaw cycles.**

Specificity

This antibody has been selected for its ability to recognize recombinant Rat FABP4 indirect ELISAs.

Applications

Indirect ELISA - This antibody can be used at 1:8000 (0.125 µg/ml) to detect rat FABP4 on indirectly ELISA.

Immunohistochemistry-That Antibody can be used at 1: 250-500 (2~4 µg /mL) with the appropriate secondary antibody to detect FABP-4 in the paraffin embedded rat visceral adipose tissues (ABC).

Western blot - This antibody can be used at 1~2 µg/mL with the appropriate secondary reagents to detect FABP-4 on rat visceral adipose tissue homogenate under reduce condition.

Optimal dilutions should be determined by each laboratory for each application.

Product Information

Code	A00030-23-100
Name	Rat FABP4 Mab
Clone No.	1D3C5
Lot No.	
Size	100 µg
Species	rat
Host	Mouse
Immunogen	Rat FABP4 rec.
Ab Type	IgG
Purification	Protein G
Formulation	Lyophilized Form without preservatives
Carry	Free
Storage	-20 ° C
Specificity	Rat
Reconstitution	100 µl
Application	ELISA

AVISCERA BIOSCIENCE INC.
2348 Walsh Ave. Suite C
Santa Clara, CA 95051
USA

Tel: (408) 982 0300

Fax: (408) 982 0301

Email:

Info@AvisceraBioscience.com

www.AvisceraBioscience.com

THIS PRODUCT IS FOR RESEARCH ONLY. NOT FOR USE IN HUMANS.